

PROPATCH Cable Pathway Solution

Catenary Wire



Outside diameter 2.6mm
Core Size 2.03mm diameter
Coating Rigid PVC
Wire Iron wire
Breaking Load 123 – 162kg
Roll Size Nominal – 5.0kg (190m)
P/N:10009-2(GRN),10009-2(BLK)

Catenary eye Screw



PROPATCH Eye Screw 6x75mm
P/N:10010-5

Catwire Carousel



PROPATCH Catenary Wire Carousel holds 5kg rolls
Size: Approx. overall dimensions: 500mm x 500mm x 315mm
Load Capacity: Holds 5kg rolls of **PROPATCH** catenary wire
Colour/Coating: Red, Powdercoated
P/N:10009-9

Catenary Maxi Hook



PROPATCH Catenary Maxi Hooks 70mm
P/N:10010-4

Hook & Eye Turnbuckle



M6: Range 100 - 220mm
M8: Range 110 - 116mm
P/N:10010-2 (M6)
P/N:10010-3 (M8)

Catenary Eye Screws



PROPATCH Screwed Hole
P/N:10010-8 (6x70mm)

Hook Bolt Suspension Anchor



Hook Bolt Suspension Anchor-45x80mm
Suspension Anchor suitable for ceiling and partitioning applications
(Concrete Hook available in different Sizes)

Features

Suitable for ceiling and partitioning applications
Precision stamped tubular expansion sleeve
P/N: 10010-7

Eye bolt Suspension Anchor



Eye Bolt Suspension Anchor 45x80mm
Suspension Anchor suitable for ceiling and partitioning applications
(Concrete eye bolt available in different Sizes)

Features

Suitable for ceiling and partitioning applications
Precision stamped tubular expansion sleeve
P/N: 10010-6

Hex Nut Zinc Yellow



Hex Nut Zinc Yellow Passivated Sleeve 45x80
The Sleeve Anchor is a pre-assembled Carbon Steel single unit sleeve anchor
(Hex Nut Zinc available in different Sizes)

Features

Precision stamped tubular expansion sleeve
Can in concrete, block, brick, and stone
P/N: 10010-9

HILTI Micky Pins



Micky pin with steel washer (14&18mm)
Base materials: Concrete (soft)
Minimum thickness of base material
P/N: 514R, P/N: 518R

HILTI BD1 - Hand Driven Tool



HILTI BD1 - Hand Driven Tool

P/N: BD1TOOL

PROPATCH VELCRO



PROPATCH 12.5 & 19mm Velcro Black
25Yards. **Made in USA**
P/N: PRO-V12.5
P/N: PRO-V19

PROPATCH Floor Duct-RD70



PROPATCH Floor Duct-RD70
1 & 2M lengths Available
P/N: FD70-1M
P/N: FD70-2M

PROPATCH Cable Tray




PROPATCH Mesh Basket Trays, Ladder Tray etc.
LCP can Supply length and Width according to customers request.

PROPATCH Rigid Conduit Grey



PROPATCH Rigid Conduit Grey 4Meter
Suitable for indoor& outdoor
(Available in different Sizes)

Umbilicals Solution




Designated cable protection

Umbilical specifically designed for cable protection when bringing power and data cables from the floor or ceiling to the work surface. It comprises three separates compartments for cable distribution, because all components clip together simply, on-site adjustment is easy and quick by the addition or removal of extra pieces.

Call or Email us for more information.

Fiber Optic Ducting Raceway



Optical Fiber Ducting Raceway

PROPATCH fibre optic ducting raceway brand Yellow Duct, is a unique system for routing and protecting fibre optic cords between termination equipment, patch panels and fibre optic splicing cabinets or frames in telecommunications exchanges, data centres, universities, hospitals, or anywhere fibre optic cabling is present. Easily mounted above equipment racks or below floors, it provides an easily accessible solution to any situation.

Distributor:

LAN Cabling Products Ltd
22D Industry Road Penrose
Auckland, New Zealand 1061
PH: [+649 579 9766](tel:+6495799766), Sales@Lcp.co.nz

LAN Cabling Product Fiji PTY Ltd.
5 Holland Street, Suva, Fiji Islands
PH: [00679 931 2154](tel:006799312154), [00679 338 4778](tel:006793384778), [00679 777 6526](tel:006797776526)
Email: Lcp@connect.com.fj